JCT
JOURNAL OF COATINGS TECHNOLOGY

1996 Annual Index of the Journal of Coatings Technology

Volume 68 — Numbers 852–863
January–December, 1996

Keyword Subject Index

Additives

Anti-Sag ..... Aug., p. 57
Chlorinated Maleinized Gualule Rubber ..... June, p. 67
Curing Agents ..... Dec., p. 29
Hardeners ..... Jan., p. 73; Feb., p. 49
Hindered Light Stabilizers ..... Apr., p. 57
Initiators ..... Apr., p. 75
Photoinitiators ..... May, p. 41; Nov., p. 37
Rheological Agents ..... Mar., p. 51; Apr., p. 63; Aug., p. 57; Dec., p. 21
Silicones ..... Mar., p. 51; Mar., p. 59
Surface Control ..... Mar., p. 83
Surfactants ..... June, p. 103; Sept., p. 63
Thickeners ..... Mar., p. 51
UV Absorbers ..... Apr., p. 57

Analysis

Accelerated Testing ..... July, p. 47; Dec., p. 39
Attenuated Total Reflectance ..... June, p. 93
Casson Yield Value ..... Apr., p. 63
Chamber Experiments ..... May, p. 41
Corrosion Resistance ..... Mar., p. 73; June, p. 75
Dielectric ..... June, p. 99; Oct., p. 97
Differential Scanning Calorimetry ..... Mar., p. 83; Aug., p. 67; Nov., p. 25
Dynamic Mechanical Analysis ..... Jan., p. 39; Mar., p. 65; Nov., p. 25
Dynamic Thermogravimetric Analysis ..... Mar., p. 73
Electrical Impedance Spectroscopy ..... June, p. 75; Aug., p. 73; Dec., p. 39
Electrical Resistance Method ..... May, p. 31
Exposure ..... June, p. 75; July, p. 47
Fluorescent Microscopy ..... June, p. 83
FTIR ..... June, p. 93
Gas Chromatography ..... Oct., p. 87
Glass Transition Temperature ..... Mar., p. 65; May, p. 49; Sept., p. 63; Oct., p. 97; Nov., p. 37
Impact Strength ..... Mar., p. 65
Impedance ..... July, p. 33
Interpretation Graphs ..... July, p. 71
Lap Shear ..... Mar., p. 65
Life Cycle Assessment ..... Oct., p. 117; Dec., p. 39
Microscopy ..... Mar., p. 83
Microtoming ..... Apr., p. 57
Phase Inversion Temperature ..... July, p. 39
Prohesion®/QUV ..... July, p. 47
Salt Fog ..... Dec., p. 39
Statistical ..... July, p. 33; July, p. 71
Tensile ..... Mar., p. 73
Thermal Stability ..... Mar., p. 65; Oct., p. 97
Thermomechanical Analysis ..... Nov., p. 25
UV Irradiance ..... July, p. 47
Viscometer ..... Aug., p. 57
Water Vapor Sorption ..... Mar., p. 51

Chemical Compounds

Peroxides ..... Apr., p. 75

Chemical Process

Corrosion ..... Apr., p. 45; June, p. 75; July, p. 47; Dec., p. 39; Dec., p. 51
Degradation ..... May, p. 27; July, p. 33
Emulsification ..... Feb., p. 49; July, p. 39
Polymerization ..... Apr., p. 75
Weathering ..... May, p. 23

Coatings Components

Acrylates ..... Apr., p. 75
Acrylics ..... Jan., p. 73; Apr., p. 57; June, p. 99; Sept., p. 39; Oct., p. 107
Alkyds ..... July, p. 39
Bisphenol A and F ..... Jan., p. 73; Mar., p. 65
Caprolactone Polyols ..... Sept., p. 49
Chlorinated Rubber ..... July, p. 33
Chromate Replacement ..... Mar., p. 73; Aug., p. 73
Chromic Acid ..... Aug., p. 73
Cycloaliphatic Epoxides ..... Sept., p. 49
Epoxy ..... Jan., p. 73; Feb., p. 49; Mar., p. 51; Mar., p. 65; June, p. 75; Aug., p. 73; Dec., p. 15; Dec., p. 29
Esters (Poly-) ..... Jan., p. 25; Mar., p. 83; July, p. 63; Dec., p. 15
Ethylene Diamine ..... Mar., p. 83
Hindered Lights Stabilizers ..... Apr., p. 57
Isocyanate Dimer ..... Mar., p. 83
Latex Jan., p. 39; Jan., p. 63; Feb., p. 33; Feb., p. 41; May, p. 27; Sept., p. 63; Oct., p. 97; Nov., p. 25; Nov., p. 37
Melamine ..... Apr., p. 57; July, p. 63; Aug., p. 83
Melamine Formaldehyde ..... Jan. p. 25
Microcapsules ..... Mar., p. 83
Peroxides ..... Apr., p. 75
Persulfates ..... Apr., p. 75
Photoinitiators ..... May, p. 41
Polycaprolactone ..... Mar., p. 83
Polyisocyanates ..... Jan., p. 25
Polyurethane ..... Jan.; p. 51; June, p. 93; Sept., p. 39; Dec., p. 15
Reactive Diluents ..... June, p. 75
Silicones ..... Jan., p. 69
Styrene Acrylic ..... Feb., p. 41; May, p. 49
Sulphuric Acid ..... Aug., p. 73
Surfactant ..... June, p. 103
Toluene ..... Mar., p. 83
Vinyl Acrylic ..... Jan., p. 63; Sept., p. 63
Volatile Methylsiloxanes ..... Jan., p. 69

Coatings

Adhesion ..... May, p. 27; June, p. 83
Air-Dry ..... Feb., p. 59; July, p. 63
Aqueous ..... Sept., p. 39; Nov., p. 19; Nov., p. 33
Architectural ..... Jan., p. 63; Nov., p. 37
Automotive ..... Mar., p. 63; Apr., p. 63; June, p. 99; Aug., p. 47; Sept., p. 83; Oct., p. 87; Oct., p. 117; Dec., p. 39
Bake ..... Feb., p. 59; Aug., p. 57
Basecoat ..... June, p. 99; Oct., p. 87
Blistering ..... July, p. 47
Characterization ..... Mar., p. 83

Clearcoat ..... Apr., p. 57; June, p. 99; Aug., p. 47; Oct., p. 87
Coalescence ..... Feb., p. 33; Apr., p. 35; Sept., p. 63; Oct., p. 97; Oct., p. 107
Composites ..... May, p. 23
Corrosion (Anti-) ..... Mar., p. 73; Apr., p. 45; June, p. 75; Dec., p. 39; Dec., p. 51
Critical Pigment Volume Concentration ..... Feb., p. 33
Crosslinkers ..... Jan. p. 25; Feb., p. 59
Crosslinking ..... Mar., p. 83; June, p. 67; June. p. 93; Oct., p. 107; Nov., p. 37
Curing ..... Jan., p. 63; Jan., p. 73; Apr., p. 35; June, p. 99; Aug., p. 67; Dec., p. 29
Defects ..... June, p. 75; Dec., p. 21
Degradation ..... Apr., p. 45; May, p. 27
Deterioration ..... July, p. 33
Diffusion ..... Mar., p. 51
Dirt Pickup ..... Nov., p. 37
Drying ..... June, p. 99; Sept., p. 63; Oct., p. 97
EB Curing ..... Mar., p. 59
Emulsification ..... July, p. 39; Nov., p. 43
Exposure ..... June, p. 75
Film Formation ..... Jan., p. 25; Jan., p. 51; Feb., p. 33; Feb., p. 49; Apr., p. 35; Sept., p. 63; Oct., p. 97; Oct., p. 107
Flame Retardant ..... Feb., p. 41
Flexibility ..... Nov., p. 33
Floor Polish ..... Oct., p. 97
Free Radical Polymerization ..... Mar., p. 59
Furniture ..... May, p. 41
Gloss ..... July, p. 47; Oct., p. 107; Nov., p. 37
Hardness ..... Nov., p. 33; Nov., p. 37
High Solids ..... Jan., p. 73; May, p. 49; Aug., p. 83; Sept., p. 49; Oct., p. 117
Hybrid ..... Sept., p. 39
Industrial ..... July, p. 39; July, p. 47; July, p. 63; Sept., p. 39
Interface ..... Apr., p. 45
Interpenetrating Polymer Network ..... Mar., p. 65; Sept., p. 39; Nov., p. 25
Life Cycle Assessment ..... Oct., p. 117
Low Temperature ..... Dec., p. 29
Low/Zero VOC ..... Jan., p. 39; Jan., p. 51; Jan., p. 63; Feb., p. 41; Feb., p. 59; June, p. 67; Aug., p. 57; Sept., p. 49; Oct., p. 117; Nov., p. 19; Nov., p. 33
Maintenance Coatings ..... Oct., p. 117
Marine ..... July, p. 47
Mechanical Properties ..... Jan., p. 39, Jan., p. 51
Migration ..... Apr., p. 57
Mixtures ..... July, p. 71
Model ..... Apr., p. 45; Oct., p. 107
Morphologies ..... Nov., p. 25
One-Component System ..... Mar., p. 83
Overspray ..... Oct., p. 87
Particle Size ..... Aug., p. 47; Sept., p. 63; Nov., p. 25
Pigment Volume Concentration ..... Feb., p. 33
Powder ..... Apr., p. 35; June, p. 67; June, p. 103; Aug., p. 47; Oct., p. 107; Dec., p. 15; Dec., p. 21
Radiation Curing ..... Mar., p. 59
Repeat Units ..... Jan., p. 73
Rheological Measurements ..... Apr., p. 63
Rheology ..... Apr., p. 63; Aug., p. 57; Nov., p. 33
Self-Emulsification ..... Feb., p. 49
Solvent-borne ..... May, p. 49
Solventless ..... Jan. p. 25
Sprayability ..... Aug., p. 57
Stains ..... May, p. 23
Stability ..... Mar., p. 83; June, p. 103; Aug., p. 83; Nov., p. 43
Stress ..... Feb., p. 33
Topcoat ..... June, p. 99; Aug., p. 47
Thermoset ..... Feb., p. 59
Two-Component ..... Jan., p. 51
UV Curing ..... Mar., p. 59; May, p. 41; Aug., p. 67; Nov., p. 33
UV Transparent ..... Aug., p. 67
Varnish ..... Feb., p. 59
Viscosity ..... May, p. 49; Sept., p. 49
VOC . Jan., p. 39; Jan., p. 63; Feb., p. 41; Feb., p. 59; May, p. 41; June, p. 67; Aug., p. 57; Sept., p. 49; Oct., p. 87; Oct., p. 117; Nov., p. 33
Waterborne ..... Jan., p. 51; Jan., p. 63; Jan., p. 73; Feb., p. 41; Feb., p. 49; July, p. 39; Sept., p. 49; Oct., p. 87; Nov., p. 19; Nov., p. 33
Water Reducible ..... July, p. 63
Water Repellents ..... May, p. 23
Water Sensitivity ..... Mar., p. 51
Water Sorption ..... Mar., p. 51
Water Thinnable ..... Jan. p. 25
Weathering ..... May, p. 23
Wood ..... May, p. 23; May, p. 27; May, p. 31; May, p. 41; May, p. 49
Wood Fillers ..... Aug., p. 67
Zinc Rich Primers ..... Dec., p. 51

Computer Applications

Coatings Formulation ..... July, p. 71
Design of Experiments ..... July, p. 71
Mixture Design ..... July, p. 71
Predictive Model ..... July, p. 71; Aug., p. 73
Statistical Approach ..... July, p. 33; July, p. 71

Films

Curing ..... Jan., p. 63; Jan., p. 73; Mar., p. 65; Apr., p. 35; June, p. 99
Degradation ..... Apr., p. 45
Dispersion ..... Nov., p. 33
Drying ..... Oct., p. 97
Formation ..... Jan., p. 39; Jan., p. 51; Feb., p. 33; Feb., p. 49; Apr., p. 35; Sept., p. 63; Oct., p. 97; Oct., p. 107
Gloss ..... July, p. 47
Gloss Retention ..... July, p. 47
Latex Coalescence ..... Jan., p. 39
Local Film Straining ..... Feb., p. 33
Mass Transport ..... June, p. 75
Stress ..... Feb., p. 33
Structure ..... Apr., p. 63
Transverse Film Strains ..... Feb., p. 33
UV Curing ..... Mar., p. 59

Formulation

Design ..... July, p. 71
Guidelines ..... Nov., p. 19
Models ..... Apr., p. 45; July, p. 71; Aug., p. 73
Optimization ..... July, p. 71
UV Curable Emulsions ..... Nov., p. 43

Oils

Drying ..... Mar., p. 73
Castor Oil ..... July, p. 63; Sept., p. 57
Lesquerella Oil ..... July, p. 63
Linseed Oil ..... Mar., p. 73; Sept., p. 57
Seed ..... Mar., p. 73
Styrenation ..... Sept., p. 57
Sunflower Oil ..... Mar., p. 73
Vegetable Oil ..... Sept., p. 57

Optics/Color

Distinctness of Image (DOI) ..... Aug., p. 47
Gloss ..... July, p. 47; Oct., p. 107; Nov., p. 37

Pigments

Aluminum ..... Aug., p. 67; Nov., p. 19
Corrosion Inhibitors ..... June, p. 7
Dispersion ..... June, p. 103; Nov., p. 33
Extenders ..... Aug., p. 67
Titanium Dioxide ..... June, p. 103
Zinc ..... Dec., p. 51

Polymeric Components

Acrylic ..... Jan., p. 63; Apr., p. 57; June, p. 99; Sept., p. 39; Oct., p. 107; Nov., p. 37
Alkyds ..... July, p. 39
Amines ..... Dec., p. 29
Bisphenol A and F ..... Jan., p. 73; Mar., p. 65
Epoxy ..... Jan., p. 73; Mar., p. 65; Dec., p. 15; Dec., p. 29
Epoxy Acrylate ..... Nov., p. 43
Esters (Poly-) ..... Jan., p. 25; July, p. 63; Dec., p. 15; Dec., p. 51
Interpenetrating Polymer Network (IPN) ..... Mar., p. 65; Sept., p. 39; Nov., p. 25
Isocyanates (Poly-) ..... Jan., p. 25; Jan., p. 51; Jan., p. 63; Mar., p. 83
Isomers ..... Jan., p. 73
Melamine ..... Apr., p. 57; July, p. 63; Aug., p. 83
Melamine Formaldehyde ..... Jan. p. 25
Novolaks ..... Feb., p. 59
Persulfates ..... Apr., p. 75
Phenolic ..... Feb., p. 59
Polypropylene ..... June, p. 83
Radiation Curable Oligomers ..... Nov., p. 33
Resoles ..... Feb., p. 59
Silicones ..... Jan., p. 69
Styrene ..... Nov., p. 37
Styrene Acrylic ..... Feb., p. 41; May, p. 49
TMI ..... Jan., p. 63
Urethane (Poly-) ..... Jan., p. 51; Mar., p. 65; June, p. 93; Sept., p. 39; Dec., p. 15
Urethane Acrylates ..... Mar., p. 65; Nov., p. 43
UV Curable Emulsions ..... Nov., p. 43
Vinyl Acrylic ..... Jan., p. 63
Volatile Methylsiloxanes ..... Jan., p. 69

Polymers

Curing ..... Jan., p. 73
Dispersions ..... Sept., p. 39
Free Radical Polymerization ..... Mar., p. 59
Interpenetrating Polymer Network (IPN) ..... Mar., p. 65; Sept., p. 39; Nov., p. 25
Latex Coalescence ..... Jan., p. 39
Microencapsulation ..... Mar., p. 83
Polymerization ..... Mar., p. 59; Apr., p. 75; Nov., p. 43
Solvent-borne ..... May, p. 49
Thermoplastic ..... Nov., p. 37
Water Vapor Permeability ..... Nov., p. 37

Pretreat/Application

EB Curing ..... Mar., p. 59
Electrostatic ..... Aug., p. 47
Equipment ..... Aug., p. 47
Hot Dipped ..... Dec., p. 21
Overspray ..... Oct., p. 87
Powder Feed ..... Aug., p. 47
Radiation Curing ..... Mar., p. 59
Spray ..... Aug., p. 47
Sprayability ..... Aug., p. 57
UV Curing ..... Mar., p. 59; May, p. 41; Nov., p. 33; Nov., p. 43

Regulatory

Acid Rain ..... May, p. 27
Boothwater ..... Oct., p. 87
Chemical Treatment ..... Oct., p. 87
Emissions ..... May, p. 41; Oct., p. 87
Environment ..... Oct., p. 117
Overspray Paint ..... Oct., p. 87
VOC Content ..... May, p. 41; May, p. 49
Wastewater ..... Oct., p. 87

Solvents

Diluents ..... Jan., p. 69; Sept., p. 49
Exempt ..... Jan., p. 69
Volatile Methylsiloxanes ..... Jan., p. 69

Substrates

Aluminum ..... June, p. 75; Aug., p. 73
Chlorinated Polyolefin ..... June, p. 83
Coating Interface ..... Apr., p. 45; June, p. 93
Corrosion ..... Mar., p. 73; Apr., p. 45; June, p. 75; July, p. 47; Dec., p. 39; Dec., p. 51
Dirt ..... Nov., p. 37
Furniture ..... May, p. 41
Galvanized Steel ..... Dec., p. 21
Hardboard ..... May, p. 23
Hardwood ..... May, p. 23
Metal ..... Feb., p. 59; Mar., p. 73
Plastics ..... June, p. 83
Plywood ..... May, p. 23
Rust ..... July, p. 33; July, p. 47
Softwood ..... May, p. 23
Steel ..... Apr., p. 45; July, p. 33
Surface ..... June, p. 93
Thermoplastic Olefin ..... June, p. 83
Wood ..... May, p. 23; May, p. 27; May, p. 31; May, p. 41; May, p. 49
Wood Paneling ..... May, p. 31
Western Redcedar ..... May, p. 27

Alphabetical Listing of Papers

A

Amine-Functional Curatives for Low Temperature Cure Epoxy Coatings—D.J. Weinmann, K. Dangayach, and C. Smith, Dec., p. 29.

Analytical Approach for High Quality Appearance Powder Coatings—J.C. Kenny, T. Ueno, and K. Tsutsui, Apr., p. 35.

Application Equipment for High Quality Appearance Powder Coatings, Especially for Automotive Clear Topcoats—K. Yanagida, M. Kumata, and M. Yamamoto, Aug., p. 47.

Aqueous Acrylic-Polyurethane Hybrid Dispersions and Their Use in Industrial Coatings—C.R. Hegedus and K.A. Kloiber, Sept., p. 39.

Aqueous Dispersions for Ultraviolet Light Curable Coatings—Z.J. Wang, J.A. Arceneaux, and J. Hall, Nov., p. 33.

C

A Challenge: Aluminum Pigments in Aqueous Coatings—Chapman, D.P., Nov., p. 19.

Characterization and Rheological Investigation of Polymer Microgels Used in Automotive Coatings—L.J. Boggs, M. Rivers, and S.G. Bike, Apr., p. 63.

Characterization of Two-Stage Latexes Using Dynamic Mechanical Thermal Analysis—B. Rearick, S. Swarup, and P. Kamarchik, Nov., p. 25.

Chlorinated-Maleinized Guayule Rubber: A Novel Matting Agent for Powder Coatings—W.A. Purvis and S.F. Thames, June, p. 67.

Coalescence and Film Formation from Latexes—K.L. Hoy, Feb., p. 33.

Colloidal Aspects of Waterborne Epoxy Paints—V.V. Verkholantsev, Feb., p. 49.

Compatibilization of Titanium Dioxide Powders with Non-Polar Media: Adsorption of Anionic Surfactants and Its Influence on Dispersion Stability—M. Arellano, I. Michel-Haciski, D.L. Feke, and I. Manas-Zloczower, June, p. 103.

D

Defects in Powder Coatings on Hot-Dipped Galvanized Steel—T. Glauser, A. Hult, A. Hirn, and B. Johansson, Dec., p. 21.

Dielectric and Thermal Analysis of the Film Formation of a Polymer Latex—J.W. Schultz and R.P. Chartoff, Oct., p. 97.

E

Electrochemical Impedance Spectroscopy Evaluation of Various Aluminum Pretreatments Painted with Epoxy Primer—S.M. Cohen, Aug., p. 73.

Emulsification of Alkyds for Industrial Coatings—G. Östberg and B. Bergenståhl, July, p. 39.

Examination of the Distribution of TPO Adhesion Promoter Material in a Painted TPO System—T.J. Prater, S.L. Kaberline, J.W. Holubka, and R.A. Ryntz, June, p. 83.

Extent of Solvents and Chemical Oxygen Demand Build-Up in Boothwater Systems Using Waterborne Paint—S.F. Kia, D.N. Rai, and R.L. Williams, Oct., p. 87.

F

Factors Affecting Dirt Pickup in Latex Coatings—A. Smith and O. Wagner, Nov., p. 37.

Field Study on the Effect of Acidic Conditions on the Adhesion of Paint to Western Redcedar—M.T. Knaebe, R.S. Williams, and J.W. Spence, May, p. 27.

Film Formation Mechanism of Two-Component Waterborne Polyurethane Coatings—C.R. Hegedus, A.G. Gilicinski, and R.J. Haney, Jan., p. 51.

Film Formation of Vinyl Acrylic Latexes; Effects of Surfactant Type, Water and Latex Particle Size—G.A. Vandezande and A. Rudin, Sept., p. 63.

Flame-Retardant Brominated Styrene-Based Polymers. IX. Dibromostyrene-Based Latexes—J.-L. Wang and N.A. Favstritsky, Feb., p. 41.

Full-Scale Method for Testing Moisture Conditions in Painted Wood Paneling—S. Hjort, May, p. 31.

H

High-Solids Coatings Using Benzylanilinium Sulfonates-II α,α-Dimethylbenzylpyridinium ρ-Toluenesulfonate, an Effective Blocked Sulfonic Acid—S. Nakano, T. Morimoto, and T. Endo, Aug., p. 83.

Hydroxylated Guayule Rubber in Powder Coatings—A. Niroomand, T.P. Schuman, and S.F. Thames, Dec., p. 15.

I

Impedance Study of the Effect of a Thin Rust Layer at the Steel-Paint Interface on Coating Deterioration—S. Feliu, Jr., M. Morcillo, and S. Feliu, July, p. 33.

Initators for Water-Based Acrylate Emulsion Polymerizations—L.L. Anderson and W.M. Brouwer, Apr., p. 75.

L

Latex Blends: An Approach to Zero VOC Coatings—M.A. Winnik and J. Feng, Jan., p. 39.

Liquid, Sprayable, "Zero" VOC Coatings Utilizing Cycloaliphatic Epoxies—R.F. Eaton and K.T. Lamb, Sept., p. 49.

Low and No-VOC Architectural Coatings Containing Ambient Curing Functional Groups—Z. Wang and S.F. Thames, Jan., p. 63.

M

Method for Corrosion Inhibitor Mechanism Studies in Epoxy Coated Aluminum—R.C. MacQueen, R.R. Miron, and R.D. Granata, June, p. 75.

Microencapsulation of Isocyanates. Characterization and Storage Stability of Microcapsules in a Polyester α,ϖ-ol—E. Quérat, L. Tighzert, and J.-P. Pascault, Mar., p. 83.

Migration of Light Stabilizers in Acrylic/Melamine Clearcoats—G. Haacke, F.F. Andrawes, and B.H. Campbell, Apr., p. 57.

N

Novel Inorganic/Organic Coatings Based on Linseed Oil and Sunflower Oil with Sol-Gel Precursors—S.J. Tuman and M.D. Soucek, Mar., p. 73.

O

Optimization of Paint Formulations Made Easy with Computer-Aided Design of Experiments for Mixtures—M.J. Anderson and P.J. Whitcomb, July, p. 71.

P

Painting and Finishing Exterior Wood—W.C. Feist, May, p. 23.

Performance Optimization of 100% Solids, UV-Cure Inks and Wood Fillers Using Aluminum Trihydroxide (ATH) Filler—

N.R. Dando, P.L. Kolek, E.S. Martin, and T.R. Clever, Aug., p. 67.
Phenolic Resins: Revisiting an Established Technology—K. Bourlier, Feb., p. 59.
Predicting the Water-Sensitivity of Film-Forming Coatings Additives by Water Vapor Sorption: With Application to Thickeners and Rheology Modifers—G.D. Shay, K.R. Olesen, and J.L. Stallings, Mar., p. 51.
Preparation of UV Curable Emulsions Using PEG-Modified Urethane Acrylates and Their Coating Properties—M.-E. Song, J.-Y. Kim, and K.-D. Suh, Nov., p. 43.

Q

Quantitative Determination of Isocyanate Concentration in Crosslinked Polyurethane Coatings—B.W. Ludwig and M.W. Urban, June, p. 93.

R

Rapid Electrochemical Assessment of Paint—M. Kendig, S. Jeanjaquet, R. Brown, and F. Thomas, Dec., p. 39.
Recent Developments in Epoxy Resins and Curing Agents—D. Helfand, Jan., p. 73.
Release of Photoinitiator Fragments from UV-Cured Furniture Coatings—T. Salthammer, May, p. 41.
A Review of Radiation Curing: New Surface Control Additives—K. Bowling, J. Adams, and S. Struck, Mar., p. 91.
Rheology of Acrylic Powder Coatings—S.G. Yates, T. Annable, B.J. Denton, G. Ellis, R.M.D. Nasir, D. Perito, and I. Parker, Oct., p. 107.

S

Stabilization of Zinc Pigments in Aqueous Alkaline Media by Paint Resins—B Müller, Dec., p. 51
Studying the Drying and Curing Rates of Acrylic Automotive Topcoats Using Dielectric Analysis—D.D. Shepard, June, p. 99.
Synthesis, Characterization, and Application of Lesquerella Oil and Its Derivative in Water-Reducible Coatings—S.F. Thames and H. Yu, July, p. 63.

T

Toward Solventless Liquid Coatings—F.N. Jones, Jan., p. 25.

U

Unified Model for the Degradation of Organic Coatings on Steel in a Neutral Electrolyte—T. Nguyen, J.B. Hubbard, and J.M. Pommersheim, Apr., p. 45.
Use of Castor Oil in the Preparation of Various Oil-Based Binders—O.S. Kabasakal, F.S. Guner, A. Arslan, A. Ergan, A.T. Erciyes, and Y. Yagci, Sept., p. 57.
Using LCA to Select Coatings for Optimum Environmental and Cost Performance—N.J. Hazel, Oct., p. 117.

V

Viscosity Reduction via Monomer Selection in Solvent-Borne High-Solids Styrene/Acrylic Coating Resins—C.A. Zezza and K.D. Talmo, May, p. 49.
Volatile Methylsiloxanes as Exempt Solvents in Protective Coatings—W.A. Finzel, Jan., p. 69.

Author Index

A

Adams, J.—See Bowling, K.
Anderson, L.L. and Brouwer, W.M.—Initators for Water-Based Acrylate Emulsion Polymerizations, Apr., p. 75.
Anderson, M.J. and Whitcomb, P.J.—Optimization of Paint Formulations Made Easy with Computer-Aided Design of Experiments for Mixtures, July, p. 71.
Andrawes, F.F.—See Haacke, G.
Annable, T.—See Yeates, S.G.
Arceneaux, J.S.—See Wang, Z.J.
Arellano, M., Michel-Haciski, I., Feke, D.L., and Manas-Zloczower, I.—Compatibilization of Titanium Dioxide Powders with Non-Polar Media: Adsorption of Anionic Surfactants and Its Influence on Dispersion Stability, June, p. 103.
Arslan, A.—See Kabasakal, O.S.

B

Benton, B.J.—See Yeates, S.G.
Bergenståhl, B.—See Östberg, G.
Bike, S.G.—See Boggs, L.J.
Boggs, L.J., Rivers, M., and Bike, S.G.—Characterization and Rheological Investigation of Polymer Microgels Used in Automotive Coatings, Apr., p. 63.
Bourlier, K.—Phenolic Resins: Revisiting an Established Technology, Feb., p. 59.
Bowling, K., Adams, J., and Struck, S.—A Review of Radiation Curing: New Surface Control Additives, Mar., p. 91.
Brouwer, W.M.—See Anderson, W.M.
Brown, R.—See Kendig, M.

C

Campbell, B.H.—See Haacke, G.
Chapman, D.P.—A Challenge: Aluminum Pigments in Aqueous Coatings, Nov., p. 19.
Chartoff, R.P.—See Schultz, J.W.
Clever, T.R.—See Dando, N.R.
Cohen, S.M.—Electrochemical Impedance Spectroscopy Evaluation of Various Aluminum Pretreatments Painted with Epoxy Primer, Aug., p. 73.

D

Dando, N.R., Kolek, P.L., Martin, E.S., and Clever, T.R.—Performance Optimization of 100% Solids, UV-Cure Inks and Wood Fillers Using Aluminum Trihydroxide (ATH) Filler, Aug., p. 67.
Dangayach, K.—See Weinmann, D.J.
Denton, B.J.—See Yeates, S.G.

E

Eaton, R.F. and Lamb, K.T.—Liquid, Sprayable, "Zero" VOC Coatings Utilizing Cycloaliphatic Epoxies, Sept., p. 49.
Ellis, G.—See Yeates, S.G.

Endo, T.—See Nakano, S.
Erciyes, A.T.—See Kabasakal, O.S.
Ergan, A.—See Kabasakal, O.S.

F

Favstritsky, N.A.—See Wang, J.L.
Feist, W.C.—Painting and Finishing Exterior Wood, May, p. 23.
Feke, D.L.—See Arellano, M.
Feliu, S., Jr., Morcillo, M., and Feliu, S.—Impedance Study of the Effect of a Thin Rust Layer at the Steel-Paint Interface on Coating Deterioration, July, p. 33.
Feliu, S.—See Feliu, S., Jr.
Feng, J.—See Winnik, M.A.
Finzel, W.A.—Volatile Methylsiloxanes as Exempt Solvents in Protective Coatings, Jan., p. 69.

G

Gilicinski, A.G.—See Hegedus, C.R.
Glauser, T., Hult, A., Hirn, A., and Johansson, B.—Defects in Powder Coatings on Hot-Dipped Galvanized Steel, Dec., p. 21.
Granata, R.D.—See MacQueen, R.C.
Guner, F.S.—See Kabasakal, O.S.

H

Haacke, G., Andrawes, F.F., and Campbell, B.H.—Migration of Light Stabilizers in Acrylic/Melamine Clearcoats, Apr., p. 57.
Hall, J.—See Wang, Z.F.
Haney, R.J.—See Hegedus, C.R.
Hazel, N.J.—Using LCA to Select Coatings for Optimum Environmental and Cost Performance, Oct., p. 117.
Hegedus, C.R. and Kloiber, K.A.—Aqueous Acrylic-Polyurethane Hybrid Dispersions and Their Use in Industrial Coatings, Sept., p. 39.
Hegedus, C.R., Gilicinski, A.G., and Haney, R.J.—Film Formation Mechanism of Two-Component Waterborne Polyurethane Coatings, Jan., p. 51.
Helfand, D.—Recent Developments in Epoxy Resins and Curing Agents, Jan., p. 73.
Hirn, A.—See Glauser, T.
Hjort, S.—Full-Scale Method for Testing Moisture Conditions in Painted Wood Paneling, May, p. 31.
Holubka, J.W.—See Prater, T.J.
Hoy, K.L.—Coalescence and Film Formation from Latexes, Feb., p. 33.
Hubbard, J.B.—See Nguyen, T.
Hult, A.—See Glauser, T.

J

Jeanjaquet, S.—See Kendig, M.
Johansson, B.—See Glauser, T.
Jones, F.N.—Toward Solventless Liquid Coatings, Jan., p. 25.

K

Kabasakal, O.S., Guner, F.S., Arslan, A., Ergan, A., Erciyes, A.T. and Yagci, Y.—Use of Castor Oil in the Preparation of Various Oil-Based Binders, Sept., p. 57.
Kaberline, S.L.—See Prater, T.J.
Kamarchik, P.—See Rearick, B.
Kendig, M., Jeanjaquet, S., Brown, R., and Thomas, F.—Rapid Electrochemical Assessment of Paint, Dec., p. 39.
Kenny, J.C., Ueno, T., and Tsutsui, K.—Analytical Approach for High Quality Appearance Powder Coatings, Apr., p. 35.
Kia, S.F., Rai, D.N., and Williams, R.L.—Extent of Solvents and Chemical Oxygen Demand Build-Up in Boothwater Systems Using Waterborne Paint, Oct., p. 87.
Kim, J.-Y.—See Song, M.-E.
Kloiber, K.A.—See Hegedus, C.R.
Knaebe, M.T., Williams, R.S., and Spence, J.W.—Field Study on the Effect of Acidic Conditions on the Adhesion of Paint to Western Redcedar, May, p. 27.
Kolek, P.L.—See Dando, N.R.
Kumata, M.—See Yanagida, K.

L

Lamb, K.T.—See Eaton, R.F.
Ludwig, B.W. and Urban, M.W.—Quantitative Determination of Isocyanate Concentration in Crosslinked Polyurethane Coatings, June, p. 93.

M

MacQueen, R.C., Miron, R.R., and Granata, R.D.—Method for Corrosion Inhibitor Mechanism Studies in Epoxy Coated Aluminum, June, p. 75.
Manas-Zloczower, I.—See Arellano. M.
Martin, E.S.—See Dando, N.R.
Michel-Haciski, I.—See Arellano, M.
Miron, R.R.—See MacQueen, R.C.
Morcillo, M.—See Feliu S., Jr.
Morimoto, T.—See Nakano, S.
Müller, B.—Stabilization of Zinc Pigments in Aqueous Alkaline Media by Paint Resins, Dec., pg. 51

N

Nakano, S., Morimoto, T., and Endo, T.—High-Solids Coatings Using Benzylanilinium Sulfonates-II α,α-Dimethylbenzylpyridinium ρ-Toluenesulfonate, an Effective Blocked Sulfonic Acid, Aug., p. 83.
Nasir, R.M.D.—See Yeates, S.G.
Nguyen, T., Hubbard, J.B., Pommersheim, J.M.—Unified Model for the Degradation of Organic Coatings on Steel in a Neutral Electrolyte, Apr., p. 45.
Niroomand, A., Schuman, T.P., and Thames, S.F.—Hydroxylated Guayule Rubber in Powder Coatings, Dec., p. 15.

O

Olesen, K.R.—See Shay, G.D.
Östberg, G. and Bergenståhl, B.—Emulsification of Alkyds for Industrial Coatings, July, p. 39.

P

Parker, I.—See Yeates, S.G.
Pascault, J.-P.—See Quérat, E.
Perito, D.—See Yeates, S.G.
Pommersheim, J.M.—See Nguyen, T.
Prater, T.J., Kaberline, S.L., Holubka, J.W. and Ryntz, R.A.—Examination of the Distribution of TPO Adhesion Promoter Material in a Painted TPO System, June, p. 83.
Purvis, W.A. and Thames, S.F.—Chlorinated-Maleinized Guayule Rubber: A Novel Matting Agent for Powder Coatings, June, p. 67.

Q

Quérat, E., Tighzert, L., and Pascault, J.-P.—Microencapsulation of Isocyanates. Characterization and Storage Stability of Microcapsules in a Polyester α,ϖ-ol, Mar., p. 83.

R

Rai, D.N.—See Kia, S.F.
Rearick, B., Swarup, S., and Kamarchik, P.—Characterization of Two-Stage Latexes Using Dynamic Mechanical Thermal Analysis, Nov., p. 25.
Rivers, M.—See Boggs, L.J.
Rudin, A.—See Vandezande, G.A.
Ryntz, R.A.—See Prater, T.J.

S

Salthammer, T.—Release of Photoinitiator Fragments from UV-Cured Furniture Coatings, May, p. 41.
Schultz, J.W. and Chartoff, R.P.—Dielectric and Thermal Analysis of the Film Formation of a Polymer, Oct., p. 97.
Schuman, T.P.—See Niroomand, A.
Shay, G.D., Olesen, K.R., and Stallings, J.L.—Predicting the Water-Sensitivity of Film-Forming Coatings Additives by Water Vapor Sorption: With Application of Thickeners and Rheology Modifers, Mar., p. 51.
Shepard, D.D.—Studying the Drying and Curing Rates of Acrylic Automotive Topcoats Using Dielectric Analysis, June, p. 99.
Smith, A. and Wagner, O.—Factors Affecting Dirt Pickup in Latex Coatings, Nov., p. 37.
Smith, C.—See Weinmann, D.J.
Song, M.-E., Kim, J.-Y., Suh, K.-D.—Preparation of UV Curable Emulsions Using PEG-Modified Urethane Acrylates and Their Coating Properties, Nov., p. 43.
Soucek, M.D.—See Tuman, S.J.
Spence, J.W.—See Knaebe, M.T.
Stallings, J.L.—See Shay, G.D.
Struck, S.—See Bowling, K.
Suh, K.-D.—See Song, M.-E.
Swarup, S.—See Rearick, B.

T

Talmo, K.D.—See Zezza, C.A.
Thames, S.F. and Yu, H.—Synthesis, Characterization, and Application of Lesquerella Oil and Its Derivative in Water-Reducible Coatings, July, p. 63.
Thames, S.F.—See Niroomand, A.
Thames, S.F.—See Purvis, W.A.
Thames, S F.—See Wang, Z.
Thomas, F.—See Kendig, M.
Tighzert, L.—See Quérat, E.
Tsutsui, K.—See Kenny, J.C.
Tuman, S.J. and Soucek, M.D.—Novel Inorganic/Organic Coatings Based on Linseed Oil and Sunflower Oil with Sol-Gel Precursors, Mar., p. 73.

U

Ueno, T.—See Kenny, J.C.
Urban, M.W.—See Ludwig, B.W.

V

Verkholantsev, V.V.—Colloidal Aspects of Waterborne Epoxy Paints, Feb., p. 49.
Vandezande, G.A. and Rudin, A.—Film Formation of Vinyl Acrylic Latexes; Effects of Surfactant Type, Water and Latex Particle Size, Sept., p. 63.

W

Wagner, O.—See Smith, A.
Wang, J.-L. and Favstritsky, N.A.—Flame-Retardant Brominated Styrene-Based Polymers. IX. Dibromostyrene-Based Latexes, Feb., p. 41.
Wang, Z. and Thames, S.F.—Low and No-VOC Architectural Coatings Containing Ambient Curing Functional Groups, Jan., p. 63.
Wang, Z.J., Arceneaux, J.A., and Hall, J.—Aqueous Dispersions for Ultraviolet Light Curable Coatings, Nov., p. 33.
Weinmann, D.J., Dangayach, K., and Smith, C.—Amine-Functional Curatives for Low Temperature Cure Epoxy Coatings, Dec., p. 29.
Whitcomb, P.J.—See Anderson, M.J.
Williams, R.L.—See Kia, S.F.
Williams, R.S.—See Knaebe, M.T.
Winnik, M.A. and J. Feng—Latex Blends: An Approach to Zero VOC Coatings, Jan., p. 39.

Y

Yagci, Y.—See Kabasakal, O.S.
Yamamoto, M.—See Yanagida, K.
Yanagida, K., Kumata, M., and Yamamoto, M.—Application Equipment for High Quality Appearance Powder Coatings, Especially for Automotive Clear Topcoats, Aug., p. 47.
Yeates, S.G., Annable, T., Denton, B.J., Ellis, G., Nasir, R.M.D., Perito, D., and Parker, I.—Rheology of Acrylic Powder Coatings, Oct., p. 107.
Yu, H.—See Thames. S.F.

Z

Zezza, C.A. and Talmo, K.D.—Viscosity Reduction via Monomer Selection in Solvent-Borne High-Solids Styrene/Acrylic Coating Resins, May, p. 49.

Constituent Society Papers

Cure Behavior of Silicone-Epoxies and Urethane Modified Acrylates in Interpenetrating Polymer Networks—Detroit Society for Coatings Technology, Mar., p. 65.
Correlation of Accelerated Exposure Testing and Exterior Exposure Sites Part II: One-Year Results—Cleveland Society for Coatings Technology, July, p. 47.
Rheology Modifiers for Low VOC Bake Coatings—New York Society for Coatings Technology, Aug., p. 57.